Author Index

Ackland, C. E., Berndt, W. G., Frezza, J. E., Landgraf, B. E., Pritchard, K. W. and Ciardelli, T. L.
Monitoring of protein conformation by high-performance size-exclusion liquid chromatography and scanning diode array second-derivative UV absorption spectroscopy 540(1991)187

Adamia, T. V., Budovich, V. L., Nevjagskaya, I. A., Shlyakhov, A. F. and Jakovlev, S. A.
Effect of temperature on the sensitivity of the photoionization detector 540(1991)441

Armstrong, D. W., see Stalcup, A. M. 540(1991)113

Barter, P., see Meyer, B. 540(1991)386

Bayer, E., see Lai, G. 540(1991)217

Berndt, W. G., see Ackland, C. E. 540(1991)187

Bhave, M. R., see Deshpande, M. V. 540(1991)397

Biernat, J. F., see Konieczka, P. 540(1991)449

Bošnjak, N., Mihalić, Z. and Trinajstić, N.
Application of topographic indices to chromatographic data: calculation of the retention indices of alkanes 540(1991)430

Bradshaw, J. S., Schirmer, M. M., Juvancz, Z., Markides, K. E. and Lee, M. L.
New polar polysiloxane stationary phases containing cyano, nitrophenyl and 8-quinolinyl units attached to diethylene oxide side groups 540(1991)279

Budovich, V. L., see Adamia, T. V. 540(1991)441

Budzianowski, J.
Separation of flavonoid glucosides from their galactosidic analogues by thin-layer chromatography 540(1991)469

Cabras, P., Plumitallo, A. and Spanedda, L.
High-performance liquid chromatographic separation of fenthion and its metabolites 540(1991)406

Caccialanza, G., see Gandini, C. 540(1991)416

Caude, M., see Siret, L. 540(1991)129

Chang, S.-C., see Stalcup, A. M. 540(1991)113

Chen, C.-Y. and Morris, M. D.
On-line multichannel Raman spectroscopic detection system for capillary zone electrophoresis 540(1991)355

Chen, S.-T., see Lin, S.-L. 540(1991)392

Cheynier, V., see Rigaud, J. 540(1991)401

Ciardelli, T. L., see Ackland, C. E. 540(1991)187

Claessens, H. A., see Hetem, M. J. J. 540(1991)53

Clonis, Y. D. and Lowe, C. R.
Monosized adsorbents for high-performance affinity chromatography. Application to the purification of calf intestinal alkaline phosphatase and human urine urokinase 540(1991)103

Coutant, J. E., see Lu, Z. 540(1991)199

Cox, G. B., see Snyder, L. R. 540(1991)21

Coyard, V., see Duprat, F. 540(1991)157

Cramers, C. A., see Hetem, M. J. J. 540(1991)53

Deege, A., see Hetem, M. J. J. 540(1991)53

De Haan, J. W., see Hetem, M. J. J. 540(1991)53

De Lorenzi, E., see Gandini, C. 540(1991)416

Deshpande, M. V., Dhume, S. T., Vyas, P. R. and Bhave, M. R.
Determination of 5-methylcytosine content of four Cucurbitaceae species using high-performance liquid chromatography 540(1991)397

Dhume, S. T., see Deshpande, M. V. 540(1991)397

Dolan, J. W., see Snyder, L. R. 540(1991)21

Dolcerocca, P., see Duprat, F. 540(1991)157

Donnelly, J. R., Munslow, W. D., Grange, A. H., Pettit, T. L., Simmons, R. D. and Sovocool, G. W.
Correlation of structure with linear retention index for bromo- and bromochlorodibenzo-*p*-dioxins and bromodibenzofurans 540(1991)293

Dose, E. V., see Katti, A. M. 540(1991)1

Duprat, F., Coyard, V., Dolcerocca, P. and Gassend, R.
Resolution of (±)-2-aminoheptane enantiomers by inductive adsorption chromatography 540(1991)157

Fenton, M. and Sim, J. S.
Determination of egg yolk cholesterol content by on-column capillary gas chromatography 540(1991)323

Fidge, N., see Meyer, B. 540(1991)386

Firouztale, E., see Ladisch, M. R. 540(1991)85

France, J. E., Snyder, J. M. and King, J. W.
Packed-microbore supercritical fluid chromatography with flame ionization detection of abused vegetable oils 540(1991)271

Frezza, J. E., see Ackland, C. E. 540(1991)187

Games, D. E., see Perkins, J. R. 540(1991)239

Games, D. E., see Perkins, J. R. 540(1991)257

Gandini, C., Caccialanza, G., Kitsos, M., Massolini, G. and De Lorenzi, E.
Determination of 5-aminosalicylic acid and related compounds in raw materials and pharmaceutical dosage forms by high-performance liquid chromatography 540(1991)416
Gassend, R., see Duprat, F. 540(1991)157
Gilbert, J., see Perkins, J. R. 540(1991)239
Gilbert, J., see Perkins, J. R. 540(1991)257
Gorski, R. J., Morgan, D. K., Sarocka, C. and Plasz, A. C.
Estimation and identification of non-polar compounds in clarithromycin bulk drug by high-performance liquid chromatography 540(1991)422
Grandmaison, J. L. and Kaliaguine, S.
Behaviour of phenols under supercritical fluid chromatographic conditions in relation to the pyrolysis of lignocellulosic materials 540(1991)225
Grange, A. H., see Donnelly, J. R. 540(1991)293
Guiochon, G., see Katti, A. M. 540(1991)1
Hahn, A., Stein, J., Rump, U. and Rehner, G.
Optimized high-performance liquid chromatographic procedure for the separation and quantification of the main folacins and some derivatives. I. Chromatographic system 540(1991)207
Hargitai, T., Reinholdsson, P., Törnell, B. and Isaksson, R.
Polymer-bound chiral polymers for use in enantiomer separations 540(1991)145
Haynes, P. A., Sheumack, D., Kibby, J. and Redmond, J. W.
Amino acid analysis using derivatisation with 9-fluorenylmethyl chloroformate and reversed-phase high-performance liquid chromatography 540(1991)177
Hendrickson, R. L., see Ladisch, M. R. 540(1991)85
Hetem, M. J. J., De Haan, J. W., Claessens, H. A., Cramers, C. A., Deege, A. and Schomburg, G.
Characterization and stability of silanized and polymer-coated octadecyl reversed phases 540(1991)53
Husain, S., Nageswara Sarma, P., Swami, G. Y. S. K. and Narsimha, R.
Determination of chloropyridine isomers by gas chromatography and high-performance liquid chromatography in chlorpyrifos process development 540(1991)331
Hyver, K. J., see Wilson, W. H. 540(1991)77
Isaksson, R., see Hargitai, T. 540(1991)145
Jakovlev, S. A., see Adamia, T. V. 540(1991)441
Juvancz, Z., see Bradshaw, J. S. 540(1991)279
Kaliaguine, S., see Grandmaison, J. L. 540(1991)225
Kalra, R. L., see Singh, P. P. 540(1991)464
Kaneta, T., see Tanaka, S. 540(1991)475
Katti, A. M., Dose, E. V. and Guiochon, G.
Comparison of the performances of overloaded elution and displacement chromatography for a given column 540(1991)1
Kawai, S., Uno, B. and Tomita, M.
Determination of glyphosate and its major metabolite aminomethylphosphonic acid by high-performance liquid chromatography after derivatization with *p*-toluenesulphonyl chloride 540(1991)411
Kecorius, E., see Meyer, B. 540(1991)386
Kibby, J., see Haynes, P. A. 540(1991)177
King, J. W., see France, J. E. 540(1991)271
Kitsos, M., see Gandini, C. 540(1991)416
Konieczka, P., Namieśnik, J. and Biernat, J. F.
Generation of standard gaseous mixtures by thermal decomposition of surface compounds. Standard mixtures of thiols 540(1991)449
Ladisch, M. R., Hendrickson, R. L. and Firouztale, E.
Analytical- and preparative-scale chromatographic separation of phenylalanine from aspartame using a new polymeric sorbent 540(1991)85
Lai, G., Nicholson, G., Mühleck, U. and Bayer, E.
Immobilization of chiral phases for enantiomer separations in supercritical fluid and gas chromatography 540(1991)217
Landgraf, B. E., see Ackland, C. E. 540(1991)187
Lee, M. L., see Bradshaw, J. S. 540(1991)279
Lin, S.-L., Chen, S.-T., Wu, S.-H. and Wang, K.-T.
Separation of aspartame and its precursor stereoisomers by chiral chromatography 540(1991)392
Lowe, C. R., see Clonis, Y. D. 540(1991)103
Lu, Z., Veening, H. and Coutant, J. E.
Liquid chromatography–mass spectrometry studies of 9-fluorenylmethyl chloroformate derivatives of polyamines 540(1991)199
MacLeod, S. K.
Compensated delay volume as an approach to improve the interlaboratory transferability of gradient high-performance liquid chromatographic assays 540(1991)373
Marcišauskas, R., see Markauskas, A. 539(1991)525

Markauskas, A., Tiknius, V. and Marcišauskas, R.
Use of immobilized triazine dyes in the purification of DNA topoisomerase I (Topo I) and terminal deoxynucleotidyl transferase (TdT) from calf thymus 539(1991)525
Markides, K. E., see Bradshaw, J. S. 540(1991)279
Massolini, G., see Gandini, C. 540(1991)416
McNair, H. M., see Wilson, W. H. 540(1991)77
Meyer, B., Kecorius, E., Barter, P., Fidge, N. and Tetaz, T.
Application of reversed-phase high-performance liquid chromatography to the separation of apolipoproteins A-IV, A-I and E from rat high-density lipoprotein 540(1991)386
Mihalić, Z., see Bošnjak, N. 540(1991)430
Morgan, D. K., see Gorski, R. J. 540(1991)422
Morris, M. D., see Chen, C.-Y. 540(1991)355
Mühleck, U., see Lai, G. 540(1991)217
Munslow, W. D., see Donnelly, J. R. 540(1991)293
Nageswara Sarma, P., see Husain, S. 540(1991)331
Namieśnik, J., see Konieczka, P. 540(1991)449
Narsimha, R., see Husain, S. 540(1991)331
Neely, F. L. and Parks, R. J.
High-performance liquid chromatographic determination of mycophenolic acid in fermentation broth 540(1991)383
Nevjagskaya, I. A., see Adamia, T. V. 540(1991)441
Nicholson, G., see Lai, G. 540(1991)217
Nishimura, K., see Tanaka, S. 540(1991)475
Paik, J. S. and Venables, A. C.
Analysis of packaged orange juice volatiles using headspace gas chromatography 540(1991)456
Palmisano, F., see Visconti, A. 540(1991)376
Parks, R. J., see Neely, F. L. 540(1991)383
Perez-Ilzarbe, J., see Rigaud, J. 540(1991)401
Perkins, J. R., Games, D. E., Startin, J. R. and Gilbert, J.
Analysis of sulphonamides using supercritical fluid chromatography and supercritical fluid chromatography–mass spectrometry 540(1991)239
Perkins, J. R., Games, D. E., Startin, J. R. and Gilbert, J.
Analysis of veterinary drugs using supercritical fluid chromatography and supercritical fluid chromatography–mass spectrometry 540(1991)257
Pettit, T. L., see Donnelly, J. R. 540(1991)293
Plasz, A. C., see Gorski, R. J. 540(1991)422
Plumitallo, A., see Cabras, P. 540(1991)406
Pritchard, K. W., see Ackland, C. E. 540(1991)187
Redmond, J. W., see Haynes, P. A. 540(1991)177
Rehner, G., see Hahn, A. 540(1991)207
Reinholdsson, P., see Hargitai, T. 540(1991)145
Ricardo da Silva, J. M., see Rigaud, J. 540(1991)401
Rigaud, J., Perez-Ilzarbe, J., Ricardo da Silva, J. M. and Cheynier, V.
Micro method for the identification of proanthocyanidin using thiolysis monitored by high-performance liquid chromatography 540(1991)401
Rose, Jr., D. J.
Free-solution reactor for post-column fluorescence detection in capillary zone electrophoresis 540(1991)343
Rosset, R., see Siret, L. 540(1991)129
Rump, U., see Hahn, A. 540(1991)207
Sarocka, C., see Gorski, R. J. 540(1991)422
Schirmer, M. M., see Bradshaw, J. S. 540(1991)279
Schomburg, G., see Hetem, M. J. J. 540(1991)53
Sheumack, D., see Haynes, P. A. 540(1991)177
Shlyakhov, A. F., see Adamia, T. V. 540(1991)441
Sibilia, A., see Visconti, A. 540(1991)376
Sim, J. S., see Fenton, M. 540(1991)323
Simmons, R. D., see Donnelly, J. R. 540(1991)293
Singh, P. P. and Kalra, R. L.
Use of low-purity solvents and reagents for analysis of residues of synthetic pyrethroid pesticides by gas chromatography with electron-capture detection 540(1991)464
Siret, L., Tambuté, A., Caude, M. and Rosset, R.
Chiral recognition mechanisms on chiral stationary phases derived from tyrosine. Specific influence of the nature of the asymmetric centre vicinal functional group 540(1991)129
Sklenářová, S. and Tichá, M.
Electrophoretic study of α-D-mannosidase and α-D-galactosidase from dry seeds of *Pisum sativum* 540(1991)365
Šlais, K.
Simultaneous conductivity and potentiometric detector for miniaturized liquid chromatography and flow analysis 540(1991)41
Snyder, J. M., see France, J. E. 540(1991)271

Snyder, L. R., Dolan, J. W. and Cox, G. B.
Preparative high-performance liquid chromatography based on reversed-phase gradient elution. Optimum experimental conditions for heavily overloaded separation 540(1991)21
Sovocool, G. W., see Donnelly, J. R. 540(1991)293
Spanedda, L., see Cabras, P. 540(1991)406
Stalcup, A. M., Chang, S.-C. and Armstrong, D. W.
Effect of the configuration of the substituents of derivatized β-cyclodextrin bonded phases on enantioselectivity in normal-phase liquid chromatography 540(1991)113
Startin, J. R., see Perkins, J. R. 540(1991)239
Startin, J. R., see Perkins, J. R. 540(1991)257
Stein, J., see Hahn, A. 540(1991)207
Swami, G. Y. S. K., see Husain, S. 540(1991)331
Takeuchi, T., see Yamazaki, S. 540(1991)169
Tambuté, A., see Siret, L. 540(1991)129
Tanaka, S., Kaneta, T., Nishimura, K. and Yoshida, H.
Capillary tube isotachophoretic separation of lanthanide complexes using polyaminocarboxylic acid as terminating ion 540(1991)475
Tanimura, T., see Yamazaki, S. 540(1991)169
Tetaz, T., see Meyer, B. 540(1991)386
Tichá, M., see Sklenářová, S. 540(1991)365
Tomita, M., see Kawai, S. 540(1991)411
Törnell, B., see Hargitai, T. 540(1991)145
Trinajstić, N., see Bošnjak, N. 540(1991)430
Uno, B., see Kawai, S. 540(1991)411
Veening, H., see Lu, Z. 540(1991)199
Venables, A. C., see Paik, J. S. 540(1991)456
Visconti, A., Sibilia, A. and Palmisano, F.
Selective determination of altertoxins by high-performance liquid chromatography with electrochemical detection with dual "in-series" electrodes 540(1991)376
Vyas, P. R., see Deshpande, M. V. 540(1991)397
Walling, J. F., see Wright, L. H. 540(1991)311
Wang, K.-T., see Lin, S.-L. 540(1991)392
Wilson, W. H., McNair, H. M. and Hyver, K. J.
Surface treatment effects in microcolumn liquid chromatography 540(1991)77
Wright, L. H. and Walling, J. F.
Prediction of retention times in temperature-programmed multichromatography 540(1991)311
Wu, S.-H., see Lin, S.-L. 540(1991)392
Yamazaki, S., Takeuchi, T. and Tanimura, T.
Direct enantiomeric separation of β-amino acids and β-amino alcohols by ligand-exchange chromatography 540(1991)169
Yoshida, H., see Tanaka, S. 540(1991)475